



# Machinery Parts



6.693 Inch | 170 Millimeter x 12.205 Inch | 310 Millimeter x 3.386 Inch | 86 Millimeter TIMKEN NU2234EMA Cylindrical Roller Bearings

Bearing No. NU2234EMA

NU2234EMA Bearing 2D drawings and 3D CAD models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	28.693
EAN	0087796300996
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity   Plain Inner Ring   2 Rib Outer Ring   Cage on Outer Ring ID
Long Description	170MM Bore; Straight Bore Profile; 310MM Outside Diameter; 86MM Width;



## Machinery Parts

	Brass Cage Material; RBEC 1   ISO P0; Single Row; Inner Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Int
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Manufacturer Item Number	NU2234EMA
Weight / LBS	63.2
B	3.386 Inch   86 Millimeter
d	6.693 Inch   170 Millimeter
D	12.205 Inch   310 Millimeter
Design Units	METRIC
Bearing Weight	28.7 Kg
Type	NU
Tapered Bore	N
d - Bore	170 mm
D - Outer Diameter	310 mm
C - Inner Ring Width	86.000 mm
B - Outer Ring Width	86.000 mm
C0 - Static Radial Rating	1420000 N
C - Dynamic Radial Rating <sup>1</sup>	1100000 N
Reference Thermal Speed Rating (Grease)	1300
Reference Thermal Speed Rating (Oil) <sup>2</sup>	1500
Cg - Geometry Factor <sup>3</sup>	0.1359
R - Inner Ring To Clear Radius <sup>4</sup>	3.0 mm
r - Outer Ring To Clear Radius <sup>5</sup>	3.0 mm



## Machinery Parts

da - Inner Ring Backing Diameter	197.000 mm
Da - Outer Ring Backing Diameter	0.000 mm